



Luminaire Schedule				
Symbol	Qty	Label	Description	Tag
⊕	22	21771 - NU3-RA-SW-13LM-30K-80	Recessed Downlight	21771
□	6	RAR2-480L-340-3K7-5QW	Type 5 High Output	Type 5
□	3	RAR2-480L-340-3K7-4W	Type 4 High Output 20ft Pole	Type 4
□	3	RAR2-480L-340-3K7-2	Type 2 High Output 20ft Pole	Type 2
□	1	WST_LED_P1_30K_VF_MVOLT	Wall Mount Area Light	21223
⊞	7	WINDFALL OUTDOOR FIXTURE	Decorative Sconce	20837

Calculation Summary							
Label	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min
Building Entry	Illuminance	Fc	23.86	32.2	13.2	1.81	2.44
Entry Easement	Illuminance	Fc	12.54	14.0	11.3	1.11	1.24
Site General	Illuminance	Fc	8.96	35.7	0.5	17.92	71.40
Drive Thru Lane	Illuminance	Fc	15.54	35.7	5.0	3.11	7.14
Drive Thru Window	Illuminance	Fc	30.50	33.0	28.4	1.07	1.16
Patio	Illuminance	Fc	28.02	32.2	14.9	1.88	2.16
Sidewalks Building	Illuminance	Fc	23.65	30.0	17.3	1.37	1.73
Sidewalks General	Illuminance	Fc	17.33	30.0	7.7	2.25	3.90
Site Entry	Illuminance	Fc	12.54	14.0	11.3	1.11	1.24
Trash Enclosure	Illuminance	Fc	8.63	9.4	8.2	1.05	1.15



CS Illumination
1210 Keystone Way, Suite A
Vista, CA 92081

Exterior Photometric
Riverview, FL
Revision 2
Date: 1/17/2024

Starbucks